

**CENTERS FOR MEDICARE & MEDICAID SERVICES
CLINICAL LABORATORY IMPROVEMENT AMENDMENTS
CERTIFICATE OF ACCREDITATION**

LABORATORY NAME AND ADDRESS
VIKOR SCIENTIFIC, LLC
22 WESTEDGE ST
CHARLESTON, SC 29403

CLIA ID NUMBER
42D2150400

EFFECTIVE DATE
06/26/2019

LABORATORY DIRECTOR
JOHN K DAY Ph.D.

EXPIRATION DATE
06/25/2021

Pursuant to Section 353 of the Public Health Services Act (42 U.S.C. 263a) as revised by the Clinical Laboratory Improvement Amendments (CLIA), the above named laboratory located at the address shown hereon (and other approved locations) may accept human specimens for the purposes of performing laboratory examinations or procedures.

This certificate shall be valid until the expiration date above, but is subject to revocation, suspension, limitation, or other sanctions for violation of the Act or the regulations promulgated thereunder.



Karen W. Dyer
Karen W. Dyer, Director
Division of Laboratory Services
Survey and Certification Group
Center for Clinical Standards and Quality

106 certs2_032420

If you currently hold a Certificate of Compliance or Certificate of Accreditation, below is a list of the laboratory specialties/subspecialties you are certified to perform and their effective date:

<u>LAB CERTIFICATION (CODE)</u>	<u>EFFECTIVE DATE</u>
BACTERIOLOGY (110)	06/26/2019
MYCOLOGY (120)	06/26/2019
PARASITOLOGY (130)	06/26/2019
VIROLOGY (140)	06/26/2019
ROUTINE CHEMISTRY (310)	06/26/2019

LAB CERTIFICATION (CODE) EFFECTIVE DATE



**FOR MORE INFORMATION ABOUT CLIA, VISIT OUR WEBSITE AT WWW.CMS.GOV/CLIA
OR CONTACT YOUR LOCAL STATE AGENCY. PLEASE SEE THE REVERSE FOR
YOUR STATE AGENCY'S ADDRESS AND PHONE NUMBER.
PLEASE CONTACT YOUR STATE AGENCY FOR ANY CHANGES TO YOUR CURRENT CERTIFICATE.**

CLIA ID Number: 42D2150400
VIKOR SCIENTIFIC, LLC
22 WESTEDGE ST
CHARLESTON, SC 29403

STATE AGENCY ADDRESS AND PHONE NUMBER:

SOUTH CAROLINA DEPT OF HEALTH & ENVIRONMENTA
BUREAU OF CERTIFICATION/HEALTH REGULATION CLI
2600 BULL ST
COLUMBIA, SC 29201
(803)545-4291

LABORATORY MAILING ADDRESS: